

# References

---

## Somatosensory Impairment after Stroke

---

Carey, L.M. (2017). Review on somatosensory loss after stroke. *Critical reviews in Physical and Rehabilitation Medicine*, 29(1-4), 1-46. DOI: 10.1615/CritRevPhysRehabilMed.v29.i1-4.10

Carey, L.M. (2006). Loss of somatic sensation. In M. Selzer, S. Clarke, L. Cohen, P. Duncan, & F. H. Gage (Eds.), *Textbook of Neural Repair and Rehabilitation* (Vol II. Medical Rehabilitation, pp. 231-247). Cambridge, United Kingdom: Cambridge University Press.

Pumpa, L. U., Cahill, L. S., & Carey, L. M. (2015). Somatosensory assessment and treatment after stroke: An evidence-practice gap. *Australian occupational therapy journal*, 62(2), 93-104.

## Somatosensory Assessment

---

Carey, L., Oke, L., & Matyas, T. A. (1997). Impaired touch discrimination after stroke: A quantitative test. *Neurorehabilitation and Neural Repair*, 11, 219-232.

Carey, L. M., Oke, L. E., & Matyas, T. A. (1996). Impaired limb position sense after stroke: A quantitative test for clinical use. *Archives of Physical Medicine and Rehabilitation*, 77, 1271-78.

Carey L. M., Mak-Yuen, Y., & Matyas, T. A. (2020, in press). The functional Tactile Object Recognition Test: A unidimensional measure with excellent internal consistency for haptic sensing of real objects after stroke. *Frontiers in Perception*.

Carey L. M., Nankervis, J., LeBlanc S., & Harvey L. (2006). A new functional tactual object recognition test (fTORT) for stroke clients: normative standards and discriminative validity. Paper presented at *14th International Congress of the World Federation of Occupational Therapists*. Sydney, Australia.

Mak-Yuen, Y. K., Cahill, L., Matyas, T., & Carey, L.M. (2019, March). SENSEAssess: Development and trial of an Evidence-Based somatosensory assessment Tool for use in clinical practice settings with Adult Stroke Survivors. Presented at the *2019 Victorian Allied Health Research Conference – Driving Change*, Melbourne, Australia.

Carey, L. M., Matyas, T. A., & Oke, L. E. (2002). Evaluation of impaired fingertip texture discrimination and wrist position sense in patients affected by stroke: comparison of clinical and new quantitative measures. *Journal of Hand Therapy*, 15(1), 71-82.

Dellon, A. L. (2000). *Somatosensory Testing and Rehabilitation*. Baltimore, MD: The Institute for Peripheral Nerve Surgery.

Kim, J. S., & Choi-Kwon, S. (1996). Discriminative sensory dysfunction after unilateral stroke. *Stroke*, 27(4), 677-682.

Lincoln, N. B., Jackson, J. M., & Adams, S. A. (1998). Reliability and revision of the Nottingham Sensory Assessment for stroke patients. *Physiotherapy*, *84*(8), 358-365.

Sullivan, J.E., & Hedman, L.D. (2008) Sensory dysfunction following stroke: incidence, significance, examination, and intervention. *Topics in Stroke Rehabilitation*, *15*(3), 200-217. doi: 10.1310/tsr1503-200

Taylor, S., Girdler, S. McCutcheon, S., McLean, B., Parsons, R., Falkmer, T., Jacoby, P., Carey, L.M.\*, Elliott, C. (2019). Haptic exploratory procedures of children and youth with and without cerebral palsy. *Physical & Occupational Therapy In Pediatrics*, *39*(3), 337-351, DOI: [10.1080/01942638.2018.1477228](https://doi.org/10.1080/01942638.2018.1477228) (\*joint senior author)

Taylor, S., Girdler, S., Parsons, R., McLean, B., Falkmer, T., Carey, L.M., Blair, E. & Elliot, C. (2018). Construct validity and responsiveness of the functional Tactile Object Recognition Test for children with cerebral palsy. *Australian Occupational Therapy Journal*, *65*(5), 420-430. doi: [10.1111/1440-1630.12508](https://doi.org/10.1111/1440-1630.12508)

Taylor, S., McClean, B., Blair, E., Carey, L.M., Valentine, J., Girdler, S. & Elliot, C. (2018). Clinical acceptability of the sense\_assess © kids: children and youth perspectives. *Australian Occupational Therapy Journal*, *65*(2), 79-88. doi: [10.1111/1440-1630.12429](https://doi.org/10.1111/1440-1630.12429)

Walmsley, C. Taylor, S., McClean, B., Carey, L.M. & Elliot, C. (2018). What is the current practice of therapists in the measurement of somatosensation in children with cerebral palsy and other neurological disorders? *Australian Occupational Therapy Journal*, *65*(2), 89-97. doi: [10.1111/1440-1630.12431](https://doi.org/10.1111/1440-1630.12431)

Weinstein, S. (1993). Fifty years of somatosensory research: from the Semmes-Weinstein monofilaments to the Weinstein Enhanced Sensory Test. *Journal of Hand therapy*, *6*(1), 11-22.

Williams, P. S., Basso, D. M., Case-Smith, J., & Nichols-Larsen, D. S. (2006). Development of the Hand Active Sensation Test: reliability and validity. *Archives of physical medicine and rehabilitation*, *87*(11), 1471-1477.

Winward, C. E., Halligan, P. W., & Wade, D. T. (1999). Current practice and clinical relevance of somatosensory assessment after stroke. *Clinical rehabilitation*, *13*(1), 48-55. doi: 10.1191/026921599701532126

Winward, C. E., Halligan, P. W., & Wade, D. T. (2002). The Rivermead Assessment of Somatosensory Performance (RASP): standardization and reliability data. *Clinical rehabilitation*, *16*(5), 523-533.

## Somatosensory Rehabilitation

---

Carey, L. M., Matyas, T. A., & Oke, L. E. (1993). Sensory loss in stroke patients: effective training of tactile and proprioceptive discrimination. *Archives of physical medicine and rehabilitation*, *74*(6), 602-611. doi: 10.1016/0003-9993(93)90158-7

Carey, L. M., & Matyas, T. A. (2005). Training of somatosensory discrimination after stroke: facilitation of stimulus generalization. *American journal of physical medicine & rehabilitation*, *84*(6), 428-442. doi: 10.1097/01.PHM.0000159971.12096.7F

Carey, L., Macdonell, R., & Matyas, T. A. (2011). SENSE: Study of the Effectiveness of Neurorehabilitation on Sensation: a randomized controlled trial. *Neurorehabilitation and neural repair*, 25(4), 304-313. doi: 10.1177/1545968310397705

Carey, L. M. (Ed.). (2012). *Stroke rehabilitation: insights from neuroscience and imaging*. New York: Oxford University Press.

Turville, M., Carey, L.M., Matyas, T.A., & Blennerhassett, J. (2017). Change in functional arm use is associated with somatosensory skills after sensory retraining poststroke. *The American Journal of Occupational Therapy*, 71(3), 1-9. doi: 10.5014/ajot.2017.024950

Turville, M, Matyas, T., Blennerhassett, J.M. & Carey, L.M. (2018). Initial severity of somatosensory impairment influences response to upper limb sensory retraining post-stroke. *NeuroRehabilitation*, 43(4), 413-423. doi: 10.3233/NRE-182439

McLean, B., Girdler, S., Taylor, S., Valentine, J., Carey, L., & Elliott, C. (2019). Experience of engagement in a somatosensory discrimination intervention for children with hemiplegic cerebral palsy: A qualitative investigation. *Developmental Neurorehabilitation*, 22(5), 348-358. doi:[10.1080/17518423.2018.1503620](https://doi.org/10.1080/17518423.2018.1503620)

McLean, B., Taylor, S., Blair, E., Valentine, J., Carey, L.M. & Elliott, C. (2017). Somatosensory discrimination intervention improves body position sense, and motor performance for children with hemiplegic cerebral palsy. *American Journal of Occupational Therapy*, 71(3), 7103190060. doi: [10.5014/ajot.2016.024968](https://doi.org/10.5014/ajot.2016.024968)

Wolf, S.L., Kwakkel, G., Bayley, M., McDonnell, M.N., Baum, C., Blanton, S., Carey, L.M., Deutsch, J., Eng, J., Hager, C., Lang, C., Levin, M.F., MacKay-Lyons, M., Pomeroy, V., Richards, C.L., Salbach, N., Salter, K., Stinear, C., Teasell, B., Vliet, P.V. & Winstein, C.J., (2016). Best practice for arm recovery post-stroke: An international application. *Physiotherapy*, 102(1), 1-4, doi: 10.1016/j.physio.2015.08.007